

Recommended Xerox Media for Phaser 6125N, 6128MFP, 6130N and 6140N (Europe)



Revision 2.0, Publish Date: November, 2009

Important Note:

All media are listed by product, Paper Type System Setting, Paper Type, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing environment Temperature 20 degreesC \pm 4, Relative Humidity 40% \pm 10%.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.
© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

| | | |
|-------------|--------------------|--|
| Plain Paper | Glossy Paper | |
| Thin Card | Thick Glossy Paper | |
| Thick Card | | |
| Label | Transparency | |

November, 2009
6125N / 6128MFP
6130N / 6140N

M=Manual Duplex
S=Simplex Only
A*=Auto Duplex
(6140 ONLY)



| Paper | Paper Type | Weight | Re-Order # | Cross Reference # | Type | Size | Manual Feed Slot | Tray | Additional Information |
|---|------------|---------|------------|-------------------|------|------|------------------|--------|--|
| Xerox Digital Colour Colotech+ (Gold Label) | Plain | 90 gsm | 3R97988 | | | A4 | M / A* | M / A* | Paper Type <i>Plain Paper</i> should be selected on the user interface for Trays or Printer Driver. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| | Plain | 100 gsm | 3R97993 | | | A4 | M / A* | M / A* | |
| | Plain | 120 gsm | 3R97958 | | | A4 | M | M | |
| | Thin Card | 160 gsm | 3R97963 | | | A4 | M | M | Paper Type <i>Thin Card Stock</i> should be selected on the user interface for Trays or Printer Driver. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| | Thick Card | 200 gsm | 3R97967 | | | A4 | M | M | |
| | Thick Card | 220 gsm | 3R97971 | | | A4 | M | M | Paper Type <i>Thick Card Stock</i> should be selected on the user interface Trays or Printer Driver. Environmental condition may require that this product be fed one sheet at a time. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| Xerox Colour Impressions | Plain | 90 gsm | 003R97663 | | | A4 | M / A* | M / A* | Paper Type <i>Plain Paper</i> should be selected on the user interface for Trays or Printer Driver. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| Xerox Business | Plain | 80 gsm | 003R91820 | | | A4 | M / A* | M / A* | |
| | | | 003R91823 | | 4 HD | A4 | M / A* | M / A* | |
| Xerox Premier | Plain | 80 gsm | 003R91720 | | | A4 | M / A* | M / A* | |
| Xerox Performer | Plain | 80 gsm | 003R90649 | | | A4 | M / A* | M / A* | |
| Xerox Recycled | Plain | 80 gsm | 003R91165 | | | A4 | M / A* | M / A* | |
| | | | 003R91857 | | 4 HD | A4 | M / A* | M / A* | |

| <div>Plain Paper</div> <div>Thin Card</div> <div>Thick Card</div> <div>Label</div> | | | <div>Glossy Paper</div> <div>Thick Glossy Paper</div> <div></div> <div>Transparency</div> | <div>November, 2009</div> <div>6125N / 6128MFP</div> <div>6130N / 6140N</div> | | <div>M=Manual Duplex</div> <div>S=Simplex Only</div> <div>A*=Auto Duplex</div> <div>(6140 ONLY)</div> | | <div>xerox</div> <div></div> | |
|--|---------------|--------|---|---|-------|---|------------------|------------------------------|--|
| Paper | Paper Type | Weight | Re-Order # | Cross Reference # | Type | Size | Manual Feed Slot | Tray | Additional Information |
| Xerox Digital Colour Colotech+ Gloss | Glossy Coated | 140gsm | 3R97577 | | | A4 | M | M | Paper Type <i>Glossy Paper</i> should be selected on the user interfaceTrays or Printer Driver. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| | Thick Glossy | 210gsm | 3R97583 | | | A4 | M | M | Paper Type <i>Thick Glossy Paper</i> should be selected on the user interface for Trays or Printer Driver. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage. Increasing media weight (gsm) can give increasing levels of curl in the imaged product. |
| Xerox Premium Business Cards | Thick Card | 195gsm | 3R97512 | | | A4 | M | M | |
| Xerox Laser/Ink Jet Labels | Label | | 003R93872 | | 1 up | A4 | S | S | Paper Type <i>Labels</i> should be selected on the user interface for Trays or Printer Driver. |
| | | | 003R93873 | | 8 up | A4 | S | S | |
| | | | 003R93874 | | 10 up | A4 | S | S | |
| | | | 003R93875 | | 14 up | A4 | S | S | |

WARRANTY DISCLAIMER
Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 1-800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2009 Xerox Corporation. All rights reserved.

XEROX®, the sphere of connectivity, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.